

PLAY BIG. WON BIG

© 2021 BIGBIG WON Inc. All rights reserved.
Product may vary slightly from pictures.

 **BIGBIG WON™**



Elitist S



USE TUTORIAL



GET HELP WITH BIGBIG WON SUPPORT

We are here to assist you with your BIGBIG WON devices. If you have any questions, please feel free to contact us:

BIGBIG WON Official Web: www.bigbigwon.com
Customer Service: support@bigbigwon.com

ENGLISH/イギリス語/英語

Important: the controller should be fully charged before using for the first time.

PACKAGE CONTENTS

BIGBIG WON Elitist S Wireless Game Controller
2.4GHz Wireless Dongle
1.6 Meters Micro-USB Cable
User Manual

SYSTEM REQUIREMENTS




Switch/Switch lite
Windows 10 or above
Android 9.0 or above
iOS 13 or above
* Device with a free USB port

REGISTRATION

Register your BIGBIG WON ID online at www.bigbigwon.com to get real-time information on your product's warranty status and a series of exclusive benefits from BIGBIG WON.

YOUR BENEFITS

* 12-month limited warranty from the date of purchase.
* Free online technical support at www.bigbigwon.com



- A** HOME Button
- B** + Button
- C** - Button
- D** Capture Button
- E** Left Joystick/L3
- F** Right Joystick/R3
- G** Directional Pad
- H** A/B/X/Y Action Button
- I** FN Button/FN Indicator
- J** Custom Back Button Module
- K** Custom Back Button Module Buckle
- L** ZL Button
- M** L Button
- N** ZR Button
- O** R Button
- P** PAIR Button
- Q** USB Charging Port
- R** Mode Indicator
- S** Power Indicator
- T** 2.4GHz Wireless Dongle
- U** Micro-USB Cable

CONNECT TO SWITCH DEVICES

Connect to Switch via Bluetooth

- Long press PAIR button for 3 seconds to enter Bluetooth pairing waiting state, and mode indicator flashes in green .
- Go to the controller pairing interface of Switch (Homepage>Controllers>Change Grip/Order) and continuously and quickly press L + R button to connect according to the prompts.
- When the corresponding controller icon shows on the Switch interface, Elitist S mode indicator stays red , and connected successfully.

Switch Wireless Wake-up

When Elitist S is connected with Bluetooth, press HOME button to wake up Switch.

Connect to Switch via a USB cable

- Turn on Pro Controller Wired Communication on Switch by selecting (System Settings>Controllers and Sensors>Pro Controller Wired Communication).
- Plug the USB cable from Elitist S to the USB port located on Switch base.
- When the corresponding controller icon shows on the Switch interface, Elitist S mode indicator stays red , and connected successfully.

CONNECT TO PC DEVICES

Connect to PC Device via Bluetooth

- Long press PAIR button for 3 seconds to enter Bluetooth pairing waiting state, and mode indicator flashes in green .
 - Go to the Bluetooth search interface of the PC device, and connect with Pro Controller.
 - Elitist S mode indicator stays red , and connected successfully.
- ★ Only for the PC devices with Bluetooth.

Connect to PC Device via 2.4GHz Wireless Dongle

- Plug 2.4GHz wireless dongle to the USB port of PC device.
- Long press PAIR button for 3 seconds to enter 2.4GHz connection waiting state, and mode indicator flashes in green .
- Elitist S mode indicator stays green , and connected successfully.

Connect to PC Device via a USB cable

- Plug the USB cable from Elitist S to the USB port of PC device.
- Elitist S mode indicator stays green , and connected successfully.

CONNECT TO ANDROID DEVICES

Connect to Android Device via Bluetooth

- Long press A + PAIR button simultaneously for 3 seconds to enter Bluetooth pairing waiting state, and mode indicator flashes in green .
- Go to the Bluetooth search interface of the Android device to search and recognize Elitist S, and connect with Elitist S after successful recognition.
- Elitist S mode indicator stays blue , and connected successfully.

Connect to Android Device via 2.4GHz Wireless Dongle

- Plug 2.4GHz wireless dongle via an adapter(sold separately) to the USB port of Android device.
- Long press PAIR button for 3 seconds to enter 2.4GHz connection waiting state, and mode indicator flashes in green .
- Elitist S mode indicator stays green or blue , and connected successfully.

Connect to Android Device via a USB Cable

- Plug the USB cable from Elitist S to the USB port of Android device.
- Elitist S mode indicator stays green or blue , and connected successfully.

CONNECT TO iOS DEVICES

- Long press B + PAIR button simultaneously for 3 seconds to enter Bluetooth pairing waiting state, and mode indicator flashes in green .
- Go to the Bluetooth search interface of the iOS device to search and recognize Xbox Wireless Controller, and connect with Xbox Wireless Controller after successful recognition.
- Elitist S mode indicator stays white , and connected successfully.

BUTTON FUNCTIONS

System Volume Control

Press FN + UP/DOWN button of the directional pad simultaneously to set the volume (only for Android platform).

GYROCON+ Global Gyro Function

- Long press FN button for 3 seconds to turn on global gyro, and FN indicator stays purple .
- Repeat above step to turn off global gyro, and FN indicator lights off.

Motor Vibration Intensity Adjustment

- There are three levels of motors intensity that can be switched circularly.
- Press FN + RIGHT button of the directional pad simultaneously to switch motor vibration intensity from strong, medium to weak.

TURBO Function

- Press FN + TARGET button simultaneously to set TURBO function successfully, and FN indicator flashes in blue twice .
 - Press FN + LEFT button of the directional pad to switch combo frequency from fast, middle to slow.
 - Press the TARGET button that completed the combo setting to trigger combo function of the button, and FN indicator flashes in blue .
- ★ Press FN button twice to cancel all TURBO settings.

Back Button Macro Function

- Long press FN + TARGET back button simultaneously to enter the recording state, and FN indicator turns orange and breathing .
- Press TARGET back button once after recording the button sequence and interval to exit recording mode, and orange breathing FN indicator lights off.
- Press TARGET back button to respond to the Macro setting as just recorded.
- Go to Macro recording mode and press TARGET back button once to cancel Macro setting.

Custom Back Button Settings

- Long press FN + TARGET back button simultaneously to enter the setting mode, and FN indicator turns orange and breathing .
- In setting mode, press TARGET button once to complete the setting, and orange and breathing FN indicator lights off.
- Go to customizable button setting mode and press TARGET back button once to cancel customized function of back button.

Button Function	Mode Indicator	Button Operation
Volume Control		Press FN+▲/▼ = Set the volume up/down.
Global Gyro Switch	 Stay on/Light off	Long press FN = Turn on/off the global gyro.
Motor Vibration Intensity Adjustment		Press FN + ► = Circularly adjust the vibration intensity of the motor.
TURBO Function Setting	 Flash twice	Press FN + TARGET button = Start Combo.
TURBO Frequency Adjustment	 Flash once	Press FN + ◀ = Adjust three levels of TURBO frequency.
TURBO Function Cancellation	 Flash once	Press FN twice = Cancel all TURBO settings.
Macro Setting	 Breathing	Long press FN + TARGET back button = Enter the Macro setting. Press TARGET back button once = Exit the Marco setting.
Respond to Macro Setting	 Flash	After setting, press TARGET back button once = Respond to Macro setting
Macro Setting Cancellation	 Flash twice	In setting mode, press TARGET back button once = Cancel the Marco setting
Back Button Function	 Breathing	Long press FN + TARGET back button = Enter the custom button setting. Press TARGET back button once = Exit the custom button setting
Back Button Function Cancellation	 Flash twice	In setting state, press TARGET back button = Cancel custom button function setting.

POWER INSTRUCTIONS

Charging Time: 2-2.5 hours.

Recommended Voltage: 5V/1A

When Elitist S is connected or fully charged, right three power indicators stay green □■■■.

When Elitist S is in low power condition (below 15%), power indicator flashes in green quickly ▷□■□□◁.

When Elitist S is charging, power indicator flashes in green slowly or stays green ▷□■□□◁ according to current power level changes.

Elitist S is equipped with 850mAh battery, and charging current should not be less than 500mAh.

SLEEP MODE/WAKE UP

- Controller will automatically switch to sleep mode after Switch screen turned off.
- Controller will automatically switch to sleep mode under no operation after 300 seconds.
- In Bluetooth mode, press HOME button for 3 seconds to disconnect, and controller will switch to sleep mode.
- When Elitist S wireless game controller is in sleep mode, press any button to wake it up.

RESET

Long press HOME button for 10 seconds to reset in any power-on state.

ご注意:最初に使用する前に、Elitist Sを完全に充電してください。

パッケージ内容

BIGBIG WON Elitist S ワイヤレスコントローラー

2.4GHzドングル

Micro-USBケーブル(1.6M)

取扱説明書

システム要件

Switch/Switch Lite

Windows 10+

Android 9.0+

iOS 13+

*空きのUSB端子を備えるデバイス




ユーザー登録

bigbigwon.com にてBIGBIG WON IDを作成して、ご購入の製品を登録すると、当製品の品質保証の状態に関するリアルタイム情報と、BIGBIG WON会員専用のメリットを得ることができます。

登録による特典

12カ月のメーカー限定保証(コントローラー本体のみ)

<https://bigbigwon.com/>でのマニュアルの閲覧と無料オンラインテクニカルサポート(日本語対応)



- A HOMEボタン
- B +ボタン
- C -ボタン
- D 共有ボタン
- E 左スティック/L3ボタン
- F 右スティック/R3ボタン
- G 方向キー
- H A/B/X/Yアクションボタン
- I FNボタン/FNインジケータ
- J 追加ボタンモジュール
- K モジュールスナップ
- L ZLボタン
- M Lボタン
- N ZRボタン
- O Rボタン
- P ペアリングボタン
- Q USB充電端子
- R モードインジケータ
- S バッテリーインジケータ
- T 2.4GHz Dongle
- U Micro-USBケーブル

SWITCHへの接続

BluetoothでSwitchへの接続

- Switchで「ホームインターフェース>コントローラー>持ちかた/順番を変える」を入ります。
- ペアリングボタンを押して、Elitist Sを起動してください。モードインジケータが緑色  に点滅すると、Elitist S は接続待ちの状態に入ります。
- Switchの指示に従ってElitist SのLボタンとRボタンを同時に押してください。
- Switchでコントローラーのアイコンが現れると、Switchをコントロールできます。モードインジケータが赤色  で点灯になると、接続成功です。

Switchをリモート起動

一度Switchと接続した場合は、Elitist SのHOMEボタンを押すだけで、Switchをリモート起動できます。

Micro-USBケーブルでSwitchへの接続

- 設定>コントローラーとセンサー>Proコントローラーの有線通信をオンにしてください。
- USBケーブルで Elitist S をSwitchドックのUSB端子に差し込みます。
- Switchでコントローラーのアイコンが現れると、Switchをコントロールできます。モードインジケータが赤色  で点灯になると、接続成功です。

WINDOWS PCへの接続

BluetoothでWindows PCへの接続

★ 当機能はBluetooth機能を備えるWindows PCのみ対応します。

- ペアリングボタンを押して、Elitist S を起動してください。モードインジケータが緑色  に点滅すると、Elitist S は接続待ちの状態に入ります。
- Windows PCのBluetoothをオンにして、Pro Controller を検索して、接続します。
- モードインジケータが赤色  で点灯になると、接続成功です。Windows PCをコントロールできます。

2.4GHz DongleでWindows PCへの接続

- 2.4GHz DongleをWindows PCのUSB端子に差し込みます。
- ペアリングボタンを押して、Elitist S を起動してください。モードインジケータが緑色  に点滅すると、Elitist S は接続待ちの状態に入ります。
- モードインジケータが緑色  で点灯になると、接続成功です。Windows PCをコントロールできます。

Micro-USBケーブルでWindows PCへの接続

- USBケーブルで Elitist S をWindows PCのUSB端子に差し込みます。
- モードインジケータが緑色  で点灯になると、接続成功です。Windows PCをコントロールできます。

Androidへの接続

BluetoothでAndroidへの接続

- Aボタンとペアリングボタンを同時に押して、Elitist S を起動してください。モードインジケータが緑色  に点滅すると、Elitist S は接続待ちの状態に入ります。
- AndroidデバイスのBluetoothをオンにして、Elitist S を検索して、接続します。
- モードインジケータが青色  で点灯になると、接続成功です。Androidデバイスをコントロールできます。

2.4GHzドングルでAndroidへの接続

- 2.4GHzドングルをAndroidデバイスのUSB端子に差し込みます。
★一部のAndroidデバイスと接続する場合はUSBアダプタ(別途購入)が必要です。
- ペアリングボタンを押して、Elitist S を起動してください。モードインジケータが緑色  に点滅すると、Elitist S は接続待ちの状態に入ります。
- モードインジケータが緑色或いは青色  で点灯になると、接続成功です。Windows PC をコントロールできます。

Micro-USBケーブルでAndroidへの接続

- USBケーブルで Elitist S をAndroidデバイスのUSB端子に差し込みます。
★一部のAndroidデバイスと接続する場合はUSBアダプタ(別途購入)が必要です。
- モードインジケータが緑色或いは青色  で点灯になると、接続成功です。Androidをコントロールできます。

iOSへの接続

- Bボタンとペアリングボタンを同時に押して、Elitist S を起動してください。モードインジケータが緑色  に点滅すると、Elitist S は接続待ちの状態に入ります。
- iOSデバイスのBluetoothをオンにして、Xbox Wireless Controllerを検索して、接続します。

- モードインジケータが白色  で点灯になると、接続成功です。iOSデバイスをコントロールできます。

ボタン機能説明

音量の調節

FNボタンを押しながら、方向キーの上/下ボタンを押すと音量を調節できます。

★当機能はAndroidのみ対応します。

グローバルジャイロ (GYROCON+) 機能

- FNボタンを3秒長押しして、FNインジケータがパープル色  で点灯になると、グローバルジャイロ機能がオンになります。
- 再度FNボタンを3秒長押しして、FNインジケータが消灯になると、グローバルジャイロ機能がオフになります。

モーター振動の強さの調節

FNボタンを押しながら、方向キーの右ボタンを押すとモーター振動の強さを調節できます。振動の強さは3レベルでサイクルします。

TURBO機能

- FNボタンを押しながらTURBOさせたいボタンを押して、FNインジケータが青色  で2回点滅になると、TURBO機能がオンになります。
- FNボタンを押しながら、方向キーの左ボタンを押すとTURBOのスピードを調節できます。TURBOのスピードは3レベルでサイクルします。
- FNボタンをダブルクリックして、FNインジケータが消灯になると、TURBO機能がオフになります。

追加ボタンのマクロ機能設定

- FNボタンを押しながら、マクロ機能を設定させたい追加ボタンを押して、FNインジケータがオレンジ色  でブリージングになると、マクロ機能レコードモードがに入ります。
 - 追加ボタンのシーケンスと間隔をレコードして、設定した追加ボタンを押して、FNインジケータが消灯になると、レコード完成です。
 - 設定した追加ボタンを押して、レコードしたマクロ機能をコントロールできます。
 - マクロ機能レコードモードで再度設定した追加ボタンを1回押して、FNインジケータが消灯になると、マクロ機能がオフになります。
- * 設定可能のボタンは追加ボタンのみです。

追加ボタンの機能設定

- FNボタンを押しながら、機能を設定させたい追加ボタンを押して、FNインジケータがオレンジ色  でブリージングになると、機能設定モードがに入ります。
 - 機能を設定させたいボタンを一回押すと、設定完成です。
 - 機能設定モードで再度設定した追加ボタンを1回押して、FNインジケータが消灯になると、追加ボタンの機能がオフになります。
- ★ 設定可能のボタンは追加ボタンのみです。

ボタン機能	モード/FNインジケータ	対応ステップ
音量の調節		FN + ▲ / ▼ = 音量 + / -
グローバルジャイロ (GYROCON+) 機能	 点灯/消灯	FN = グローバルジャイロオン
モーター振動の強さの調節		FN + ▶ = 3レベルモーター振動の強さをサイクルで調節
TURBO機能の設定	 2回点滅	FN + TURBOさせたいボタン = TURBO機能オン
TURBOのスピードの調節	 1回点滅	FN + ◀ = 3レベルTURBOのスピードをサイクルで調節
TURBO機能をオフ	 2回点滅	ダブルクリックFN = TURBO機能オフ
マクロ機能設定モード	 ブリージング	FNボタン長押し+設定させたい追加ボタン長押し=マクロ機能設定モード 設定した追加ボタンを押して=マクロ設定モードをオフ
マクロ機能オン	 点滅	マクロ機能オン状態で設定した追加ボタン押し=マクロ機能オン
マクロ機能をオフ	 2回点滅	マクロ機能オン状態で設定した追加ボタン押し=マクロ機能をオフ
追加ボタンの機能設定	 ブリージング	FNボタン長押し+設定させたい追加ボタン長押し=追加ボタンの機能設定 設定した追加ボタンを押して=追加ボタンの機能設定モードをオフ
追加ボタンの機能をオフ	 2回点滅	機能オン状態で設定した追加ボタン押し=追加ボタンの機能をオフ

バッテリー残量説明

充電時間: 2-2.5時間

充電アダプタ: 5V/1A

バッテリー残量が15%以上 / 充電完了 (100%充電済み) の場合は、バッテリーインジケーターが緑色  で点灯します。

バッテリー残量が15%に下回る場合は、バッテリーインジケーターが緑色  で点滅します。バッテリー残量が5%に下回る場合、自動的に低電力保護状態に入って自動的にシャットダウンします。

充電中ではバッテリーインジケーターが当電量に従って段階的に変換し、緑色  で点滅します。

自動休眠

Elitist S が5分以上操作されないと自動的に休眠します。

Switchと接続された場合は、Switchを休眠すれば、Elitist Sも休眠状態になります。

Bluetooth接続された場合は、HOMEボタンを3秒押しすと、Elitist Sが休眠状態になります。自動的に休眠したら、いずれかのボタンを押すと、休眠が終わります。

リセット

オン状態でHOMEボタンを10秒以上長押しして Elitist S をリセットします。

重要事項: 首次使用前必须先充满电

包装内容

BIGBIG WON Elitist S 无线游戏手柄

2.4GHz 无线接收器

Mirco-USB 数据线 (1.6M)

说明书

合格证

系统要求

Switch/Switch lite

Windows 10+

Android 9.0+

iOS 13+

*设备需具有可用USB插口




注册

通过BIGBIG WON官网 (www.bigbigwon.cn) 在线注册您的BIGBIG WON ID, 以获取有关您产品保修的实时信息, 以及BIGBIG WON提供的一系列独家权益。

您的权益

*从购买产品之日起享受12个月有限质量保证。

*联系我们以获取免费的在线技术支持。



- A HOME键
- B +键
- C -键
- D 截图键
- E 左摇杆/L3键
- F 右摇杆/R3键
- G 十字键
- H A/B/X/Y 动作按键
- I FN键/FN指示灯
- J 自定义背键模块
- K 自定义背键模块卡扣
- L ZL键
- M L键
- N ZR键
- O R键
- P PAIR键
- Q USB充电接口
- R 模式指示灯
- S 电量指示灯
- T 2.4GHz无线接收器
- U Micro-USB数据线

SWITCH设备连接

蓝牙连接Switch

- 长按PAIR键3秒, 此时模式指示灯显示为绿色闪烁  状态, 表明已进入蓝牙配对等待状态。
- 打开Switch的手柄配对界面(主页>控制器>更改拿法/顺序), 根据提示连续快速按动L键+R键进行连接。
- 当Switch主界面出现对应手柄图标, Elitist S 的模式指示灯显示为红色常亮 , 连接成功。

Switch无线唤醒

Elitist S 处于蓝牙连接状态下, 按下HOME键即可无线唤醒Switch。

有线连接Switch

- 打开Switch的设置>手柄与感应器>Pro手柄的有线连接, 开启该功能。
- 将 Elitist S 通过数据线连接到Switch底座的USB插口。
- Switch主界面出现对应手柄图标, Elitist S 的模式指示灯显示为红色常亮 , 连接成功。

WINDOWS PC连接

蓝牙连接PC

- 长按PAIR键3秒, 此时模式指示灯显示为绿色闪烁  状态, 表明已进入蓝牙配对等待状态。
 - 打开PC的蓝牙搜索界面进行搜索, 与 Pro Controller 进行连接。
 - Elitist S 的模式指示灯显示为红色常亮 , 连接成功。
- ★ 只对应具备蓝牙功能的PC。

2.4GHz无线接收器连接PC

- 将2.4GHz无线接收器插入PC的USB插口。
- 长按PAIR键3秒, 此时模式指示灯显示为绿色闪烁  状态, 表明已进入2.4GHz等待连接状态。
- Elitist S 的模式指示灯显示为绿色常亮 , 连接成功。

USB数据线连接PC

- 将 Elitist S 通过USB数据线连接到PC的USB插口。
- Elitist S 的模式指示灯显示为绿色常亮 , 连接成功。

Android设备连接

蓝牙连接Android

- 长按A键 + PAIR键3秒, 此时模式指示灯显示为绿色闪烁  状态, 表明已进入蓝牙配对等待状态。
- 打开Android设备的蓝牙搜索界面进行搜索识别, 识别成功后与 Elitist S 进行连接。
- Elitist S 的模式指示灯显示蓝色常亮 , 连接成功。

2.4GHz无线接收器连接Android

- 将2.4GHz无线接收器通过转接数据线 (另购) 连接至Android设备的USB插口。
- 长按PAIR键3秒, 此时模式指示灯显示为绿色闪烁  状态, 表明已进入2.4GHz等待连接状态。
- Elitist S 的模式指示灯显示绿色或蓝色常亮 , 连接成功。

USB接口连接Android

- 将 Elitist S 通过USB数据线连接到Android设备的USB插口。
- Elitist S 的模式指示灯显示绿色或蓝色常亮 , 连接成功。

iOS设备连接

- 长按B键 + PAIR键3秒, 此时模式指示灯显示为绿色闪烁  状态, 表明已进入蓝牙配对等待状态。
- 打开iOS设备的蓝牙搜索页面进行搜索识别, 识别成功后与 Xbox Wireless Controller 进行连接。
- Elitist S 的模式指示灯显示白色常亮 , 连接成功。

按键功能说明

系统音量控制

同时按下FN键 + 十字键的上/下方向键, 即可控制音量的加/减 (仅支持Android平台)。

全局陀螺仪 (Gyocon+) 功能

- 长按FN键3秒, FN指示灯紫色  常亮表明全局陀螺仪功能已开启。
- 长按FN键3秒, FN指示灯熄灭, 表明全局陀螺仪功能已关闭。

马达振动强度调节

- 马达振动的强度分为强中弱三档, 可循环切换。
- 同时按下FN键 + 十字键的右方向键, 即可切换强中弱三档。

连击功能

- 同时按FN键 + 目标按键, FN指示灯为蓝色闪烁  2次, 则按键连击设置成功。
 - 需要调换频率档位时, 同时按下FN键 + 十字键的左方向键, 即可切换快中慢三档。
 - 按住已完成连击设置的目标按键, FN指示灯为蓝色  闪烁, 即可触发该按键连击功能。
- ★ 双击FN键, 即可取消所有连击设置。

设置背键宏功能

- 长按FN键 + 目标背键, FN指示灯显示橙色呼吸模式 , 此时进入录制状态。
- 录制完成按键顺序与间隔后, 按下目标背键一次, FN指示灯橙色呼吸  结束, 退出录制模式。
- 按下目标背键, 即可响应刚刚录制的宏设置。
- 如需要取消按键宏设置, 再次进入宏录制模式后按下目标背键一次, 即可取消宏设置。

设置背部自定义键值

- 长按FN键 + 目标背键, 进入设定模式, 此时FN指示灯会进入橙色呼吸  模式。
- 在设定模式下, 按压一次需要设定的目标按键, FN指示灯橙色呼吸  结束, 完成设置。
- 如需取消自定义键值设置, 再次进入自定义键值模式后按下目标背键一次, 即可取消背键的自定义键值设置。

按键功能	模式指示灯	对应按键操作
音量控制		FN + ▲ / ▼ = 音量加/减
全局陀螺仪开关	 常亮/熄灭	长按FN= 开启/关闭全局陀螺仪
调节马达震动强度		FN + ► = 循环调节马达震动强度
连击功能设定	 闪烁2次	FN+ 目标按键 = 开启连击
调节连击频率	 闪烁1次	FN + ◀ = 三档频率调节
取消连击功能	 闪烁1次	双击FN= 取消所有连击设置
录入宏设置	 呼吸	长按FN + 目标背键 = 进入宏设置 单击目标背键 = 退出宏设置
响应宏设置	 闪烁	完成设置 + 单击目标背键 = 响应宏设置
取消宏设置	 闪烁2次	设置状态下 + 单击目标背键 = 取消宏设置
设置背键键值	 呼吸	长按FN + 目标背键 = 进入自定义键值设置 单击目标背键 = 退出自定义键值设置
取消键值设置	 闪烁2次	设置状态下 + 目标背键 = 取消自定义键值设置

电量说明

充电时间:2-2.5小时。

建议电压:5V/1A。

当Elitist S 处于正常连接/满电状态时, 电量指示灯为右边三颗绿色常亮 。

当Elitist S 处于电量15%以下的低电量状态时, 电量指示灯为绿色快闪 。

当Elitist S 处于充电状态时, 电量指示灯根据当前电量阶段变化为绿色慢闪/常亮 。

Elitist S 电池容量850mAh, 充电电流不低于500mAh。

休眠/唤醒

Switch主机屏幕关闭后, 手柄自动休眠。

300秒后没有任何操作则自动休眠。

蓝牙模式下, 按下HOME键3秒, 断开连接, 手柄休眠。

休眠后按下任意键位即可唤醒。

重置

任何开机状态下长按HOME键10秒进行重置。

FCC CAUTION

1. 15.19 Labelling requirements

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

2. 15.19 Labelling requirements

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

3. 15.105 Information to the user

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTICE Please read this Precautions carefully.

- CONTAINS SMALL PARTS. Keep out of reach of children under the age of 3. Seek immediate medical attention if swallowed or inhaled.
- DO NOT use the product near fire.
- DO NOT expose to direct sunlight or high temperatures.
- DO NOT leave the product in a humid or dusty environment.
- DO NOT impact the product or cause it to fall due to strong impact.
- DO NOT touch USB port directly or it might cause malfunctions.
- DO NOT strongly bend or pull cable parts.
- Use a soft, dry cloth while cleaning.
- DO NOT use chemicals such as gasoline or thinner.
- DO NOT disassemble, repair or modify.
- DO NOT use for purposes other than its original purpose. We are NOT responsible for accidents or damage when used for non-original purposes.
- DO NOT look directly at the optical light. It might damage your eyes.
- If you have any quality concerns or suggestions, please contact BIGBIG WON or your local distributor.

★ P55, PS4, PS3, DualSense and DualShock are registered trademarks or trademarks of Sony Computer Entertainment Inc. Windows, Xbox One, Elite and Elite Series 2 are registered trademarks of Microsoft Inc. Switch and Switch Lite are registered trademarks of Nintendo Inc. All rights reserved. All other trademarks are the property of their respective owners. Photos and illustrations are not binding. Contents, designs and specifications are subject to change without notice and may vary from one country to another. This product is not distributed under an approved official license and is not sponsored or endorsed by Sony Computer Entertainment Inc. This product is not manufactured by Sony Computer Entertainment Inc or Microsoft Inc or Nintendo Inc.

! ご注意:保護者の方へ必ずお読みください。

- 小さな部品がありますので3歳未満のお子様には絶対に与えないでください。
- 乳幼児の手の届かところに置かないでください。万一飲み込んだ場合は、すぐに医師に相談してください。
- 火気のある場所では絶対に使用しないでください。
- 長時間直射日光当てたり、高温となる場所に置かないでください。
- 本品を湿気やホコリの多いところに置かないでください。
- 本品に物を当てたり、落下させるような強い衝撃を与えないでください。
- 故障の原因になりますので、USB端子を直接手で触らないでください。
- ケーブル部を強く曲げたり引っ張ったりしないでください。
- お手入れの際には、乾いた柔らかい布を使用してください。
- ベンジン、シンナーなどの薬品は使用しないでください。
- 分解や修理、改造は絶対にしないでください。
- 本来の目的以外には使用しないでください。本来の目的以外に使用した場合の事故や損害に対し、弊社は一切その責任を負いません。
- 光学式ライトの光を直接見ないでください。強い光より、目を痛める可能性があります。

★ PS5、PS4、PS3、DualSense および DualShock は Sony Computer Entertainment Inc. の登録商標または商標です。Windows、Xbox One、Elite および Elite Series 2 は Microsoft Inc. の登録商標です。Switch、Switch Pro は Nintendo Inc. の登録商標です。その他、記載されている会社名、製品名は、各社の登録商標または商標です。写真やイラストは拘束力がありません。内容、デザイン、仕様は予告なしに変更されることがあり、国によって異なる場合があります。*この製品は、Sony Computer Entertainment Inc、Microsoft Inc または Nintendo Inc. によって製造されたものではありません。

保修卡

(售后政策:非人为损坏,三个月包换、一年保修)

用户姓名	
联系电话	
联系地址	
售后要求	<input type="checkbox"/> 退 <input type="checkbox"/> 换 <input type="checkbox"/> 保修
售后原因	
订单编号	
(注:非墨将官网途径购买的产品,售后问题请直接与购买商家联系。)	